



## Selection Guide



### General Purpose Relays

	RH Series	RJ Series	RQ Series	RR Series
<b>Appearance</b>				
<b>Page</b>	726	736	744	748
<b>Contact Configuration</b>	SPDT, DPDT, 3PDT, 4PDT	SPDT, SPST, DPDT, DPST	SPDT, DPDT	SPDT, DPDT, 3PDT
<b>Terminal</b>	Blade or PCB	Blade or PCB	PCB	Pin or Blade
<b>Contact Rating (resistive)</b>	10A, 30V DC/240V AC 1/3HP, 240V AC 1/6HP, 120V AC	SPDT: 12A/16A, 30V DC/250V AC DPDT: 8A, 30V DC/250V AC	SPDT: 12A, 16A DPDT: 8A	10A, 30V DC/ 240V AC 1/3HP, 240V AC 1/4HP, 120V AC
<b>Contact Material</b>	Silver-Cadmium Oxide	Silver-Nickel alloy	Silver-Nickel alloy	Silver



	RU Series	RY/RM Series	
<b>Appearance</b>			
<b>Page</b>	754	763	
<b>Contact Configuration</b>	DPDT, 4PDT	DPDT, 4PDT	DPDT
<b>Terminal</b>	Blade or PCB	Blade or PCB	
<b>Contact Rating (resistive)</b>	DPDT: 10A, 30V DC/250V AC 4PDT: 6A, 30V DC/250V AC 1/10 HP, 240V AC Bifurcated: 3A 250V AC	RY: DPDT: 3A, 30V DC/240V AC 4PDT: 5A, 30V DC/240V AC Bifurcated: 1A 30V DC/120V AC	5A, 30V DC/240V AC
<b>Contact Material</b>	DPDT: Silver Tin Oxide Indium 4PDT: Gold-Silver Alloy on Silver	Standard: Gold plated silver Bifurcated: Palladium Alloy Silver	Silver

Selection Guide con't

Latching Relays

	RR2KP Series	RY2KS
Appearance		
Page	776	779
Contact Configuration	DPDT	DPDT
Terminal	Pin	Blade
Contact Rating (resistive)	10A, 30V DC 10A, 120V AC	3A, 30V DC 3A, 120V AC
Contact Material	Silver	Silver, gold-plated

Solid State Relays

	RSC Series	RSS Series
Appearance		
Page	783	786
Output Configuration	1 Form A (SPST-NO)	1 Form A (SPST-NO)
Output Rating	20A, 30A, 45A 48 - 600V AC	10A, 25A, 50A, 75A, 90A 48 - 660V AC
Output	Dual SCR (zero crossing)	